








You can add all the information you need or want to convey about your clinic.










Lateral Inclears Cale foods file apples and carrols esseig Home of all







First Premotor or
First Dieuspids
Desponsible for
Grushing and cutting
food before it
reaches your
motors.




Second Premolar or
Dicuspids
Usejob is to orind
foods like fruits,
vegetables, and
pistachies.



First Molars
Crinds foods like
fruits, vegetables,
and almonds or
walnuts.



Second Molars Helps to chew food well, breaking it into emall pieces.




ThirdMolar or substitute show the factor and part of the freques of the frequency forms, and the factor season succession.



Central Inclicar

The central incisor is one of the largest and most visible teeth at the front of your mouth, appearing between the ages of 6 and 8. This tooth has a straight edge, making it perfect for slicing foods like fruits and vegetables. The central incisors are the first to bite when you eat—they're like little knives that help you start enjoying your food!



Central Inclicar












Lateral Incliear

The lateral incisor is a small, sharp tooth that appears at the front of your mouth around ages 7 or 8. This tooth is perfect for cutting foods like apples and carrots into small pieces. Lateral incisors work alongside the central incisors to help you bite and start chewing. They're like little scissors that make eating easier and more fun!




Lateral Incheor






The canine, also known as the 'cuspid,' is a sharp and strong tooth that appears in your mouth between ages 9 and 12. Canines have a unique point that makes them perfect for tearing and cutting foods like meat and fruit. They're like the little guardians of your smile, helping you chew and keeping your teeth aligned!






First Dicuspid

The first premolar, also known as the 'first bicuspid,' is a strong tooth that appears in your mouth around ages 9 to 11. This tooth has two points, called cusps, making it perfect for crushing and cutting food before it reaches your molars. The first premolar is like a little helper that prepares food to be chewed and enjoyed with ease!




First Premotar or First Dieuspid



Second Premolar or Bicuspid

The second premolar, also known as the 'bicuspid,' is a special tooth that appears in your mouth between ages 10 and 12. This tooth has two sharp points, called cusps, making it perfect for crushing and cutting food before it reaches your molars. Second premolars are like little helpers that prepare food to be chewed more easily!




Second Premolar or Bicuspid





The first molar is one of the strongest teeth in your mouth. It appears around age 6 and is a great helper in chewing. Its job is to grind foods like fruits, vegetables, and nuts so you can eat them with ease. It's like the superhero of teeth, making every bite easy and fun!



First Molar

